ELSEVIER

Chemistry and Physics of Lipids
76 (1995) 271

Chemistry and Physics
of
LIPIDS

Author index

Volume 76 (1995)

Akutsu, H. **76**, 55
Amemiya, Y. **76**, 115
Attard, G.S. **76**, 41

Bach, D. **76**, 123
Bhowmik, B.B. **76**, 49
Billheimer, J.T. **76**, 73
Böhm, C. **76**, 145
Borochov, N. **76**, 123
Bouwman, W.G. **76**, 145
Brezesinski, G. **76**, 145
Buxser, S.E. **76**, 7

Cheetham, J.J. **76**, 103
Colles, S.M. **76**, 73

Decker, D.E. **76**, 7
Dey, I. **76**, 1
Dietrich[a], A. **76**, 145

Eibl, H. **76**, 211
Epand, R.M. **76**, 103

Felde, R. **76**, 259
Fujiwara, T. **76**, 55

Ghosh, S. **76**, 49
Goodman, T.G. **76**, 7
Graille, J. **76**, 109
Hayamizu, K. **76**, 93
Hatta, I. **76**, 115
Heidepriem, R.W. **76**, 129
Horowitz, A.D. **76**, 27

Inoue, T. **76**, 159, 171

Jones, R.H. **76**, 1

Kimura, Y. **76**, 55
Kizito, S.A. **76**, 129
Kjaer, K. **76**, 145
Kobayashi, S. **76**, 93
Kresheck, G. **76**, 193
Kühner, M. **76**, 241

Li, L. **76**, 135
Livant, P. **76**, 129

Mackenzie, A. **76**, 41
Markowitz, M.A. **76**, 63
Massing, U. **76**, 211
Matuoka, S. **76**, 115
McGuigan, C. **76**, 41
Medina, I. **76**, 201
Möhwald, H. **76**, 145
Montet, D. **76**, 109
Myers-Payne, S. **76**, 73

Nagamori, T. **76**, 55
Nibu, Y. **76**, 159, 171, 181

Paolillo, L. **76**, 201
Parish, E.J. **76**, 129
Peng, J. **76**, 129
Peterson, T. **76**, 7
Pina, M. **76**, 109
Puranik, D.B. **76**, 63

Ringsdorf, H. **76**, 241

Sacchi, R. **76**, 201
Sackmann, E. **76**, 241
Schroeder, F. **76**, 73
Sen-Varma, C. **76**, 49
Shin, K.-h. **76**, 55
Shinitzky, M. **76**, 123
Shvets, V.I. **76**, 225
Simon, J. **76**, 241
Singh, A. **76**, 63
Spiteller, G. **76**, 259
Struth, B. **76**, 145
Suzuki, T. **76**, 93

Takahashi, H. **76**, 115
Tomoi, M. **76**, 55
Tsuzuki, S. **76**, 93
Tsuzuki, W. **76**, 93

van Gorkom, J.J. **76**, 103
Villeneuve, P. **76**, 109
Vroegop, S.M. **76**, 7

Wachtel, E.J. **76**, 123
Woodford, J.K. **76**, 73

Yang, F.Y. **76**, 135

Zamyatina, A.Y. **76**, 225
Zheng, L.X. **76**, 135

0009-3084/95/$09.50 © 1995 Elsevier Science Ireland Ltd. All rights reserved

ELSEVIER

Chemistry and Physics of Lipids
76 (1995) 273–276

Chemistry and Physics of LIPIDS

Subject index

Volume 76 (1995)

Acyl chain length; Pulmonary surfactant; Energy transfer; Indocarbocyanine dye **76**, 27

Alkyldimethylphosphine oxide/phospholipid mixtures; Phase separation; Protein purification **76**, 193

Amphiphilic polymer in giant liposomes; Vesicle shapes; Polymerized amphiphiles; Model membranes; Model of cytoskeleton **76**, 241

Atherosclerosis; Oxidized lipoproteins; Plasmalogens; α-hydroxyaldehydes **76**, 259

Bilayer defects; Isotropic phase; Inverted phases **76**, 103

Biological membranes; Cholesterol; Cholesteryl hemisuccinate; Miscibility; Differential scanning calorimetry; X-ray scattering **76**, 123

Break points; Change points; Statistical methods; Join points; Linear splines **76**, 1

Candida antartica; Model triglycerides; Stereospecificity; Typoselectivity; Lipase; Rabbit gastric lipase; *Pseudomonas aeruginosa* **76**, 109

Carbobenzoxy-D-Phe-L-PheGly; Propensity of hexagonal II phase formation; H^+-ATPase; ubiquinol-cytochrome c reductase; Diolein; Eicosane; Cholesterol 3-sulfate **76**, 135

C-3 building blocks; Synthetic phospholipids; PAF; Phospholipid analogues; Synthesis; Chiral pool; Glyceraldehyde; Optical purity **76**, 211

Chain melting; Phase transition; Dipalmitoylphosphatidylcholine; X-ray diffraction; Differential scanning calorimetry (DSC) **76**, 115

Change points; Break points; Statistical methods; Join points; Linear splines **76**, 1

Chemical synthesis; Cholest-4-ene-3,6-dione; NMR spectral properties **76**, 129

Chiral discrimination; Phosphatidylcholines; Ester-ether-linkages; Monolayer structures; Synchrotron X-ray diffraction; Grazing incidence **76**, 145

Chiral pool; Synthetic phospholipids; PAF; Phospholipid analogues; Synthesis; Glyceraldehyde; C-3 building blocks; Optical purity **76**, 211

Cholest-4-ene-3,6-dione; Chemical synthesis; NMR spectral properties **76**, 129

Cholesterol; Cholesteryl hemisuccinate; Biological membranes; Miscibility; Differential scanning calorimetry; X-ray scattering **76**, 123

Cholesterol 3-sulfate; Propensity of hexagonal II phase formation; H^+-ATPase; ubiquinol-cytochrome c reductase; Diolein; Eicosane; Carbobenzoxy-D-Phe-L-PheGly **76**, 135

Cholesteryl hemisuccinate; Cholesterol; Biological membranes; Miscibility; Differential scanning calorimetry; X-ray scattering **76**, 123

Conformation analysis; Glycerides; ^{1}H-NMR; Lipase selectivity; Organic solvents **76**, 93

D-erythro-3-O-benzoylceramide; Inositol-containing glycophosphosphingolipids; Myo-inositol; Menthoxyacetic esters; Phosphite triester method **76**, 225

Deuterium NMR; Phosphatidylethanolamine; Lipid bilayer; Specific deuteration; Quadrupole splitting; Microdomain **76**, 55

Diacetylenic phospholipids; Metal-chelating phospholipid; Langmuir films studies; Polymerizable lipids; Iminodiacetic acid functionalized phospholipids; Phospholipid monolayers **76**, 63

Differential scanning calorimetry; Cholesterol; Cholesteryl hemisuccinate; Biological membranes; Miscibility; X-ray scattering **76**, 123

0009-3084/95/$09.50 © 1995 Elsevier Science Ireland Ltd. All rights reserved

Differential scanning calorimetry; Homologous phosphatidic acids; Phase diagram; Mixing behavior **76**, 171

Differential scanning calorimetry; Homologous phosphatidylethanolamines; Phase diagram; Mixing behavior; Non-hydrated phospholipid mixture **76**, 159

Differential scanning calorimetry; Homologous phosphatidylglycerols; Phase diagram; Mixing behavior; Hydrated phospholipid mixture; Non-hydrated phospholipid mixture **76**, 181

Differential scanning calorimetry (DSC); Phase transition; Chain melting; Dipalmitoylphosphatidylcholine; X-ray diffraction **76**, 115

Diolein; Propensity of hexagonal II phase formation; H^+-ATPase; ubiquinol-cytochrome c reductase; Eicosane; Cholesterol 3-sulfate; Carbobenzoxy-D-Phe-L-PheGly **76**, 135

Dipalmitoylphosphatidyicholine; Phase transition; Chain melting; X-ray diffraction; Differential scanning calorimetry (DSC) **76**, 115

Drug delivery; Emulsions; Lipophilic compounds **76**, 7

Eicosane; Propensity of hexagonal II phase formation; H^+-ATPase; ubiquinol-cytochrome c reductase; Diolein; Cholesterol 3-sulfate; Carbobenzoxy-D-Phe-L-PheGly **76**, 135

Emulsions; Drug delivery; Lipophilic compounds **76**, 7

Energy transfer; Pulmonary surfactant; Acyl chain length; Indocarbocyanine dye **76**, 27

Ester-ether-linkages; Phosphatidylcholines; Monolayer structures; Synchrotron X-ray diffraction; Grazing incidence; Chiral discrimination **76**, 145

Fish lipids; High resolution ^{1}H- and ^{13}C-NMR spectroscopy; Gas chromatography; Gas chromatography; Plasmalogen; Phosphatidylethanolamine **76**, 201

Fluorescence quenching; Phospholipid liposome; Riboflavin dye; Photovoltage; Stern-Volmer constant; Quenching-rate constant; Photo-induced electron transfer **76**, 49

Gas chromatography; High resolution ^{1}H- and ^{13}C-NMR spectroscopy; Plasmalogen; Plasmalogen; Phosphatidylethanolamine; Fish lipids **76**, 201

Glyceraldehyde; Synthetic phospholipids; PAF; Phospholipid analogues; Synthesis; Chiral pool; C-3 building blocks; Optical purity **76**, 211

Glycerides; Conformation analysis; ^{1}H-NMR; Lipase selectivity; Organic solvents **76**, 93

Grazing incidence; Phosphatidylcholines; Ester-ether-linkages; Monolayer structures; Synchrotron X-ray diffraction; Chiral discrimination **76**, 145

H^+-ATPase; Propensity of hexagonal II phase formation; ubiquinol-cytochrome c reductase; Diolein; Eicosane; Cholesterol 3-sulfate; Carbobenzoxy-D-Phe-L-PheGly **76**, 135

High resolution ^{1}H- and ^{13}C-NMR spectroscopy; Gas chromatography; Gas chromatography; Plasmalogen; Phosphatidylethanolamine; Fish lipids **76**, 201

^{1}H-NMR; Glycerides; Conformation analysis; Lipase selectivity; Organic solvents **76**, 93

Homologous phosphatidic acids; Phase diagram; Mixing behavior; Differential scanning calorimetry **76**, 171

Homologous phosphatidylethanolamines; Phase diagram; Mixing behavior; Non-hydrated phospholipid mixture; Differential scanning calorimetry **76**, 159

Homologous phosphatidylglycerols; Phase diagram; Mixing behavior; Hydrated phospholipid mixture; Non-hydrated phospholipid mixture; Differential scanning calorimetry **76**, 181

Hydrated phospholipid mixture; Homologous phosphatidylglycerols; Phase diagram; Mixing behavior; Non-hydrated phospholipid mixture; Differential scanning calorimetry **76**, 181

α-hydroxyaldehydes; Oxidized lipoproteins; Plasmalogens; Atherosclerosis **76**, 259

Iminodiacetic acid functionalized phospholipids; Metal-chelating phospholipid; Langmuir films studies; Polymerizable lipids; Diacetylenic phospholipids; Phospholipid monolayers **76**, 63

Indocarbocyanine dye; Pulmonary surfactant; Acyl chain length; Energy transfer **76**, 27

Inositol-containing glycophosphosphingolipids; Myo-inositol; Menthoxyacetic esters; D-erythro-3-O-benzoylceramide; Phosphite triester method **76**, 225

Inverted phases; Isotropic phase; Bilayer defects **76**, 103

Isotropic phase; Inverted phases; Bilayer defects **76**, 103

Join points; Change points; Break points; Statistical methods; Linear splines **76**, 1

Langmuir films studies; Metal-chelating phospholipid; Polymerizable lipids; Diacetylenic phospholipids; Iminodiacetic acid functionalized phospholipids; Phospholipid monolayers **76**, 63

Linear splines; Change points; Break points; Statistical methods; Join points **76**, 1

Lipase; Model triglycerides; Stereospecificity; Typoselectivity; Rabbit gastric lipase; *Candida antartica*; *Pseudomonas aeruginosa* **76**, 109

Lipase selectivity; Glycerides; Conformation analysis; ^{1}H-NMR; Organic solvents **76**, 93

Lipid bilayer; Phosphatidylethanolamine; Specific deuteration; Deuterium NMR; Quadrupole splitting; Microdomain **76**, 55

Lipophilic compounds; Emulsions; Drug delivery **76**, 7

Liquid crystals; Phospholipid analogues; Phase behaviour **76**, 41

Menthoxyacetic esters; Inositol-containing glycophosphosphingolipids; Myo-inositol; D-erythro-3-O-benzoylceramide; Phosphite triester method **76**, 225

Metal-chelating phospholipid; Langmuir films studies; Polymerizable lipids; Diacetylenic phospholipids; Iminodiacetic acid functionalized phospholipids; Phospholipid monolayers **76**, 63

Microdomain; Phosphatidylethanolamine; Lipid bilayer; Specific deuteration; Deuterium NMR; Quadrupole splitting **76**, 55

Miscibility; Cholesterol; Cholesteryl hemisuccinate; Biological membranes; Differential scanning calorimetry; X-ray scattering **76**, 123

Mixing behavior; Homologous phosphatidic acids; Phase diagram; Differential scanning calorimetry **76**, 171

Mixing behavior; Homologous phosphatidylethanolamines; Phase diagram; Non-hydrated phospholipid mixture; Differential scanning calorimetry **76**, 159

Mixing behavior; Homologous phosphatidylglycerols; Phase diagram; Hydrated phospholipid mixture; Non-hydrated phospholipid mixture; Differential scanning calorimetry **76**, 181

Model membranes; Vesicle shapes; Polymerized amphiphiles; Model of cytoskeleton; Amphiphilic polymer in giant liposomes **76**, 241

Model of cytoskeleton; Vesicle shapes; Polymerized amphiphiles; Model membranes; Amphiphilic polymer in giant liposomes **76**, 241

Model triglycerides; Stereospecificity; Typoselectivity; Lipase; Rabbit gastric lipase; *Candida antartica*; *Pseudomonas aeruginosa* **76**, 109

Monolayer structures; Phosphatidylcholines; Ester-ether-linkages; Synchrotron X-ray diffraction; Grazing incidence; Chiral discrimination **76**, 145

Myo-inositol; Inositol-containing glycophosphosphingolipids; Menthoxyacetic esters; D-erythro-3-O-benzoylceramide; Phosphite triester method **76**, 225

NMR spectral properties; Cholest-4-ene-3,6-dione; Chemical synthesis **76**, 129

Non-hydrated phospholipid mixture; Homologous phosphatidylethanolamines; Phase diagram; Mixing behavior; Differential scanning calorimetry **76**, 159

Non-hydrated phospholipid mixture; Homologous phosphatidylglycerols; Phase diagram; Mixing behavior; Hydrated phospholipid mixture; Differential scanning calorimetry **76**, 181

Optical purity; Synthetic phospholipids; PAF; Phospholipid analogues; Synthesis; Chiral pool; Glyceraldehyde; C-3 building blocks **76**, 211

Organic solvents; Glycerides; Conformation analysis; ^{1}H-NMR; Lipase selectivity **76**, 93

Oxidized lipoproteins; Plasmalogens; α-hydroxyaldehydes; Atherosclerosis **76**, 259

PAF; Synthetic phospholipids; Phospholipid analogues; Synthesis; Chiral pool; Glyceraldehyde; C-3 building blocks; Optical purity **76**, 211

Phase behaviour; Phospholipid analogues; Liquid crystals **76**, 41

Phase diagram; Homologous phosphatidic acids; Mixing behavior; Differential scanning calorimetry **76**, 171

Phase diagram; Homologous phosphatidylethanolamines; Mixing behavior; Non-hydrated phospholipid mixture; Differential scanning calorimetry **76**, 159

Phase diagram; Homologous phosphatidylglycerols; Mixing behavior; Hydrated phospholipid mixture; Non-hydrated phospholipid mixture; Differential scanning calorimetry **76**, 181

Phase separation; Alkyldimethylphosphine oxide/phospholipid mixtures; Protein purification **76**, 193

Phase transition; Chain melting; Dipalmitoylphosphatidylcholine; X-ray diffraction; Differential scanning calorimetry (DSC) **76**, 115

Phosphatidylcholines; Ester-ether-linkages; Monolayer structures; Synchrotron X-ray diffraction; Grazing incidence; Chiral discrimination **76**, 145

Phosphatidylethanolamine; High resolution ^{1}H- and ^{13}C-NMR spectroscopy; Gas chromatography; Gas chromatography; Plasmalogen; Fish lipids **76**, 201

Phosphatidylethanolamine; Lipid bilayer; Specific deuteration; Deuterium NMR; Quadrupole splitting; Microdomain **76**, 55

Phosphite triester method; Inositol-containing glycophosphosphingolipids; Myo-inositol; Menthoxyacetic esters; D-erythro-3-O-benzoylceramide **76**, 225

Phospholipid analogues; Phase behaviour; Liquid crystals **76**, 41

Phospholipid analogues; Synthetic phospholipids; PAF; Synthesis; Chiral pool; Glyceraldehyde; C-3 building blocks; Optical purity **76**, 211

Phospholipid liposome; Riboflavin dye; Photovoltage; Fluorescence quenching; Stern-Volmer constant; Quenching-rate constant; Photo-induced electron transfer **76**, 49

Phospholipid monolayers; Metal-chelating phospholipid; Langmuir films studies; Polymerizable lipids; Diacetylenic phospholipids; Iminodiacetic acid functionalized phospholipids **76**, 63

Photo-induced electron transfer; Phospholipid liposome; Riboflavin dye; Photovoltage; Fluorescence quenching; Stern-Volmer constant; Quenching-rate constant **76**, 49

Photovoltage; Phospholipid liposome; Riboflavin dye; Fluorescence quenching; Stern-Volmer constant; Quenching-rate constant; Photo-induced electron transfer **76**, 49

Plasmalogen; High resolution ^{1}H- and ^{13}C-NMR spectroscopy; Gas chromatography; Gas chromatography; Phosphatidylethanolamine; Fish lipids **76**, 201

Plasmalogens; Oxidized lipoproteins; α-hydroxyaldehydes; Atherosclerosis **76**, 259

Polymerizable lipids; Metal-chelating phospholipid; Langmuir films studies; Diacetylenic phospholipids; Iminodiacetic acid functionalized phospholipids; Phospholipid monolayers **76**, 63

Polymerized amphiphiles; Vesicle shapes; Model membranes; Model of cytoskeleton; Amphiphilic polymer in giant liposomes **76**, 241

Propensity of hexagonal II phase formation; H^+-ATPase; ubiquinol-cytochrome c reductase; Diolein; Eicosane; Cholesterol 3-sulfate; Carbobenzoxy-D-Phe-L-PheGly **76**, 135

Protein purification; Alkyldimethylphosphine oxide/phospholipid mixtures; Phase separation **76**, 193

Pseudomonas aeruginosa; Model triglycerides; Stereospecificity; Typoselectivity; Lipase; Rabbit gastric lipase; *Candida antartica* **76**, 109

Pulmonary surfactant; Acyl chain length; Energy transfer; Indocarbocyanine dye **76**, 27

Quadrupole splitting; Phosphatidylethanolamine; Lipid bilayer; Specific deuteration; Deuterium NMR; Microdomain **76**, 55

Quenching-rate constant; Phospholipid liposome; Riboflavin dye; Photovoltage; Fluorescence quenching; Stern-Volmer constant; Photo-induced electron transfer **76**, 49

Rabbit gastric lipase; Model triglycerides; Stereospecificity; Typoselectivity; Lipase; *Candida antartica*; *Pseudomonas aeruginosa* **76**, 109

Riboflavin dye; Phospholipid liposome; Photovoltage; Fluorescence quenching; Stern-Volmer constant; Quenching-rate constant; Photo-induced electron transfer **76**, 49

Specific deuteration; Phosphatidylethanolamine; Lipid bilayer; Deuterium NMR; Quadrupole splitting; Microdomain **76**, 55

Statistical methods; Change points; Break points; Join points; Linear splines **76**, 1

Stereospecificity; Model triglycerides; Typoselectivity; Lipase; Rabbit gastric lipase; *Candida antartica*; *Pseudomonas aeruginosa* **76**, 109

Stern-Volmer constant; Phospholipid liposome; Riboflavin dye; Photovoltage; Fluorescence quenching; Quenching-rate constant; Photo-induced electron transfer **76**, 49

Synchrotron X-ray diffraction; Phosphatidylcholines; Ester-ether-linkages; Monolayer structures; Grazing incidence; Chiral discrimination **76**, 145

Synthesis; Synthetic phospholipids; PAF; Phospholipid analogues; Chiral pool; Glyceraldehyde; C-3 building blocks; Optical purity **76**, 211

Synthetic phospholipids; PAF; Phospholipid analogues; Synthesis; Chiral pool; Glyceraldehyde; C-3 building blocks; Optical purity **76**, 211

Typoselectivity; Model triglycerides; Stereospecificity; Lipase; Rabbit gastric lipase; *Candida antartica*; *Pseudomonas aeruginosa* **76**, 109

Ubiquinol-cytochrome c reductase; Propensity of hexagonal II phase formation; H^+-ATPase; Diolein; Eicosane; Cholesterol 3-sulfate; Carbobenzoxy-D-Phe-L-PheGly **76**, 135

Vesicle shapes; Polymerized amphiphiles; Model membranes; Model of cytoskeleton; Amphiphilic polymer in giant liposomes **76**, 241

X-ray diffraction; Phase transition; Chain melting; Dipalmitoylphosphatidyicholine; Differential scanning calorimetry (DSC) **76**, 115

X-ray scattering; Cholesterol; Cholesteryl hemisuccinate; Biological membranes; Miscibility; Differential scanning calorimetry **76**, 123